




RAITON
FIREARMS



2024


Core Values:

Quality: Raiton is committed to delivering shotguns of exceptional quality, built to last and perform reliably in various shooting conditions. Raiton adheres to rigorous quality control standards at every stage of the manufacturing process, from sourcing materials to final assembly, to ensure that its shotguns meet or exceed customer expectations.

Innovation: Raiton believes in the continuous pursuit of innovation to develop cutting-edge shotguns that offer superior performance, advanced features, and improved ergonomics. The company invests in research and development to stay ahead of the competition and introduce innovative technologies that enhance the shooting experience for its customers.

Customer Focus: Raiton places a high emphasis on understanding and meeting the needs of its customers. The company actively seeks customer feedback and incorporates it into its product development process to create shotguns that are tailored to the specific requirements of different user segments. Raiton aims to build lasting relationships with its customers by providing exceptional service and support.

Integrity: Raiton upholds the highest standards of integrity in its business practices. The company is committed to conducting its operations ethically, transparently, and in compliance with all applicable laws and regulations. Raiton values honesty, professionalism, and accountability in all its interactions with stakeholders, including customers, employees, suppliers, and partners.



Mission:

Raiton's mission is to design, manufacture, and distribute premium-quality shotguns that are recognized for their reliability, accuracy, and durability. The company aims to provide shooting enthusiasts with firearms that deliver exceptional performance, handling, and aesthetics, backed by unparalleled customer service. Raiton strives to be a trusted partner for hunters, sports shooters, and law enforcement agencies, meeting their needs with innovative, reliable, and durable shotguns.

Vision:

Raiton's vision is to be a global leader in manufacturing premium-quality shotguns that are renowned for their durability, reliability, and performance. The company aims to be at the forefront of shotgun technology, pushing the boundaries of innovation to create firearms that meet the evolving needs of hunters, sports shooters, and law enforcement agencies.

PUMP - ACTION





RTAC 19



RTAC-19

TECH SPECS

Code	: RTAC 19
Type	: Pump - Action Shotgun
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 7075 T6 Aluminum
Barrel	: 20", Drilled from 4140 Steel, Ported
Magazine Cap	: 7+1
Stoke	: Synthetic
Choke	: Fixed
Weight	: 3.25 kg



MODULAR BARREL CLAMP
WITH
QD RECEIVER PLATE



MLOK PLATE

MLOK Plate allows you to connect your mlok mount accessories behind the receiver.

RAITON
F I R E A R M S





QD PLATE


*Your Modular Barrel Clamp and the QD
Plate will complete each other.*

RAITON
FIREARMS



*GAME CHANGING
ACCESSORIES*

RAITON
FIREARMS



RAITON

MODULAR
BARREL CLAMP

MODULAR BARREL CLAMP

Modular Barrel Clamp is compatible with 12GA shotguns like Benelli M2,M4 Remington 870 and most likely other 12GA shotguns that not tested by Raiton Firearms yet. It is modular that you can assemble 2 or more. This will allow you to connect longer mlok accessories


COMES WITH

2 PICATINNY RAILS

MLOK QD MOUNT

QD SLING SWIVEL

QD SLING STUD





RTAC 20

TECH SPECS

Code	: RTAC 20
Type	: Pump Action
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 7075 T6 Aluminum
Barrel	: 20", Drilled from 4140 Steel
Magazine Cap	: 7+1
Stoke	: Synthetic - Telescopic - Fixed or Foldable
Choke	: Fixed or Mobile
Weight	: 3.25 kg



Bronze Cerakote Coated Barrel
Metal Barrel Protection

CERAKOTE



RTAC 21

TECH SPECS

Code	: RTAC 21
Type	: Pump Action
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 7075 T6 Aluminum
Barrel	: 18.5", 20", Drilled from 4140 Steel
Magazine Cap	: 4+1, 7+1
Stoke	: Fixed - Telescopic
Choke	: Fixed
Weight	: 3.25 kg



MODULAR BARREL CLAMP
(OPTIONAL)






RTAC 23

TECH SPECS

Code	: RTAC 23
Type	: Pump Action
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 7075 T6 Aluminum
Barrel	: 18.5", 20", Drilled from 4140 Steel
Magazine Cap	: 4+1
Stock	: Fixed, Telescopic or Foldable
Choke	: Fixed
Weight	: 3.25 kg



CERAKOTE





RTAC 24

TECH SPECS

Code	: RTAC 24
Type	: Pump Action
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 7075 T6 Aluminum
Barrel	: 20" 51cm - Drilled from 4140 Steel
Magazine Cap	: 5+1, 7+1
Stoke	: Fixed and Polymer
Choke	: Fixed
Weight	: 3.25 kg
Overall Length	: 73.5 cm



CERAKOTE





R-TAC25

TECH SPECS

Code	: R-TAC25
Type	: Pump Action
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 7075 T6 Aluminum
Barrel	: 11.4" (29cm), 18.5" (47cm) - Drilled from 4140 Steel
Magazine Cap	: 2+1, 4+1, 5+1, 7+1
Stoke	: Telescopic or Fixed - Synthetic
Choke	: Fixed
Weight	: 3.25 kg
Overall Length	: 73.5 cm



CERAKOTE






PWA 10

TECH SPECS

Code	: PWA 10
Type	: Pump Action
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 7075 T6 Aluminum
Barrel	: 20" 51cm - Drilled from 4140 Steel
Magazine Cap	: 5+1, 7+1
Stoke	: Walnut
Choke	: Mobile
Weight	: 3.25 kg



CERAKOTE





FPW 7

TECH SPECS

Code	: FPW 7
Type	: Pump Action
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 7075 T6 Aluminum
Barrel	: 18.5" 47cm - Drilled from 4140 Steel
Magazine Cap	: 4+1
Stoke	: Walnut or Synthetic (optional)
Choke	: Mobile
Weight	: 3.25 kg



FP 7

SYNTHETIC STOCK





RXC 30



RXC 31W



RXC 32

RXC 30

TECH SPECS

Code	: RXC 30
Type	: Pump Action
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 7075 T6 Aluminum
Barrel	: 13.8", Drilled from 4140 Steel
Magazine Cap	: 4+1
Stoke	: Fixed, Pistol Grip
Choke	: Fixed
Weight	: 2.75 kg



PISTOL GRIP OPTION

SEMI AUTOMATIC





RX 4



TECH SPECS

<i>Code</i>	<i>: RX 4</i>
<i>Type</i>	<i>: Semi Automatic</i>
<i>Chamber</i>	<i>: 3"</i>
<i>Gauge/Caliber</i>	<i>: 12 GA</i>
<i>Receiver</i>	<i>: 7075 T6 Aluminum</i>
<i>Barrel</i>	<i>: 20", Drilled from 4140 Steel</i>
<i>Magazine Cap</i>	<i>: 5+1, 7+1</i>
<i>Stoke</i>	<i>: Fixed or Telescopic</i>
<i>Choke</i>	<i>: 3 Set Choke</i>
<i>Weight</i>	<i>: 3.5 kg</i>

*MODULAR BARREL CLAMP
(OPTIONAL)*

PL-30
WALKYRIE
#40601318



RS 33

TECH SPECS

Code	: RS 33
Type	: Semi Automatic
Chamber	: 3"
Gauge/Caliber	: 12 GA - 20GA
Receiver	: 7075 T6 Aluminum
Barrel	: 20" 22" 28", Drilled from 4140 Steel
Magazine Cap	: 4+1, 7+1
Stoke	: Fixed
Choke	: 3 Set Choke
Weight	: 3.25 kg



ALM
SWELL



RS 34

TECH SPECS

Code	: RS 34
Type	: Semi Automatic
Chamber	: 3"
Gauge/Caliber	: 12 GA - 20GA
Receiver	: 7075 T6 Aluminum
Barrel	: 20" 22" 28", Drilled from 4140 Steel
Magazine Cap	: 4+1, 7+1
Stoke	: Fixed
Choke	: 3 Set Choke
Weight	: 3.25 kg



MOSSY OAK



REALTREE
Family, Friends and the Outdoors





RS 35



TECH SPECS

<i>Code</i>	<i>: RS 35</i>
<i>Type</i>	<i>: Semi Automatic</i>
<i>Chamber</i>	<i>: 3"</i>
<i>Gauge/Caliber</i>	<i>: 12 GA - 20GA</i>
<i>Receiver</i>	<i>: 7075 T6 Aluminum</i>
<i>Barrel</i>	<i>: 20" 22" 28", Drilled from 4140 Steel</i>
<i>Magazine Cap</i>	<i>: 7+1 (4+!, or more is optional)</i>
<i>Stoke</i>	<i>: Fixed</i>
<i>Choke</i>	<i>: 3 Set Choke</i>
<i>Weight</i>	<i>: 3.25 kg</i>



VEGA C SEMI-CAMO




VEGA

VEGA

TECH SPECS

Code	: VEGA
Type	: Semi Automatic - INERTIA
Chamber	: 3"
Gauge/Caliber	: 12GA
Receiver	: 7075 T6 Aluminum
Barrel	: 20", 22", 28", Drilled from 4140 Steel
Magazine Cap	: 4+1 (Optional 7+1 - 10+1 With Extension Tube)
Stroke	: Fixed
Choke	: 3 Set Choke
Weight	: 3.25 kg





20GA INERTIA

VEGA 20

TECH SPECS

Code	: VEGA 20
Type	: Semi Automatic - INERTIA
Chamber	: 3"
Gauge/Caliber	: 20GA
Receiver	: 7075 T6 Aluminum
Barrel	: 20", 22", 28", Drilled from 4140 Steel
Magazine Cap	: 4+1 (Optional 7+1 - 10+1 With Extension Tube)
Stoke	: Fixed
Choke	: 3 Set Choke
Weight	: 3.25 kg




OVERSIZED
CHARGING HANDLE
&
BOLT RELEASE BUTTON



VEGA W

TECH SPECS

Code	: VEGA W
Type	: Semi Automatic - INERTIA
Chamber	: 3"
Gauge/Caliber	: 12GA
Receiver	: 7075 T6 Aluminum
Barrel	: 20", 22", 28", Drilled from 4140 Steel
Magazine Cap	: 4+1 (Optional 7+1 - 10+1 With Extension Tube)
Stroke	: Fixed
Choke	: 3 Set Choke
Weight	: 3.25 kg





VEGA NEO

TECH SPECS

Code	: VEGA NEO
Type	: Semi Automatic - INERTIA
Chamber	: 3"
Gauge/Caliber	: 12GA
Receiver	: 7075 T6 Aluminum
Barrel	: 20", 22", 28", Drilled from 4140 Steel
Magazine Cap	: 4+1
Stroke	: Fixed
Choke	: 3 Set Choke
Weight	: 3.25 kg





STORCH

PRO



TECH SPECS

<i>Code</i>	: <i>STORCH</i>
<i>Type</i>	: <i>Semi Automatic - INERTIA (Piston Supported)</i>
<i>Chamber</i>	: <i>3"</i>
<i>Gauge/Caliber</i>	: <i>12GA</i>
<i>Receiver</i>	: <i>7075 T6 Aluminum</i>
<i>Barrel</i>	: <i>20", 22", 28", Drilled from 4140 Steel</i>
<i>Magazine Cap</i>	: <i>4+1</i>
<i>Stoke</i>	: <i>Walnut, Cheek Riser, Palm Swell (Optional)</i>
<i>Choke</i>	: <i>3 Set Choke</i>
<i>Weight</i>	: <i>3.5 kg</i>



MAGAZINE FED





RB 50

TECH SPECS

Code	: RB 50
Type	: Semi Automatic
Chamber	: 3"
Gauge/Caliber	: 12GA - 20GA
Receiver	: 7075 T6 Aluminum
Barrel	: 18.5", Drilled from 4140 Steel
Magazine Cap	: 5 - 10
Stoke	: Fixed, with Cheek Riser
Choke	: Fixed
Weight	: 3 kg






RB 60

TECH SPECS

Code	: RB 60
Type	: Semi Automatic
Chamber	: 3"
Gauge/Caliber	: 12GA
Receiver	: 7075 T6 Aluminum
Barrel	: 18.5", Drilled from 4140 Steel
Magazine Cap	: 5 - 10
Stoke	: Fixed, with Cheek Riser
Choke	: Fixed
Weight	: 3 kg






RB 70

TECH SPECS

<i>Code</i>	<i>: RB 70</i>
<i>Type</i>	<i>: Semi Automatic</i>
<i>Chamber</i>	<i>: 3"</i>
<i>Gauge/Caliber</i>	<i>: 12GA</i>
<i>Receiver</i>	<i>: 7075 T6 Aluminum</i>
<i>Barrel</i>	<i>: 18.5" (47cm);, Drilled from 4140 Steel</i>
<i>Magazine Cap</i>	<i>: 5 Round</i>
<i>Stoke</i>	<i>: Fixed, with Cheek Riser</i>
<i>Choke</i>	<i>: Fixed</i>
<i>Weight</i>	<i>: 3 kg</i>





RPX 302

TECH SPECS

<i>Code</i>	<i>: RPX 302</i>
<i>Type</i>	<i>: Semi Automatic</i>
<i>Chamber</i>	<i>: 3"</i>
<i>Gauge/Caliber</i>	<i>: 12GA</i>
<i>Lower Receiver</i>	<i>: Aluminum</i>
<i>Receiver</i>	<i>: 7075 T6 Aluminum</i>
<i>Barrel</i>	<i>: 18.5", 20" Drilled from 4140 Steel</i>
<i>Magazine Cap</i>	<i>: 5 - 10</i>
<i>Stoke</i>	<i>: Fixed or Telescopic</i>
<i>Choke</i>	<i>: Fixed</i>
<i>Weight</i>	<i>: 3.75 kg</i>





RPX 303

TECH SPECS

Code	: RPX 303
Type	: Semi Automatic - Pump Action (Hybrid)
Chamber	: 3"
Gauge/Caliber	: 12GA
Lower Receiver	: Aluminum
Receiver	: 7075 T6 Aluminum
Barrel	: 18.5", 20" Drilled from 4140 Steel
Magazine Cap	: 5 - 10
Stoke	: Fixed or Telescopic
Choke	: Fixed
Weight	: 3.75 kg



**TELESCOPIK STOCK
(OPTIONAL)**

LEVER ACTION





Aluminum Handguard

CRANE TACTICAL

TECH SPECS

<i>Code</i>	<i>: Crane Tactical</i>
<i>Type</i>	<i>: Lever Action</i>
<i>Gauge/Caliber</i>	<i>: .410 Cal , 36GA</i>
<i>Receiver</i>	<i>: 7075 T6 Aluminum</i>
<i>Barrel</i>	<i>: 18.5", 20" Drilled from 4140 Steel</i>
<i>Magazine Cap</i>	<i>: 7+1</i>
<i>Stoke</i>	<i>: Fixed - Walnut</i>
<i>Choke</i>	<i>: Fixed - Mobile</i>
<i>Weight</i>	<i>: 3.25 kg</i>





CRANE CLASSIC

TECH SPECS

Code	: Crane Classic
Type	: Lever Action
Gauge/Caliber	: .410 Cal , 36GA
Receiver	: 7075 T6 Aluminum
Barrel	: 18.5", 20" Drilled from 4140 Steel
Magazine Cap	: 7+1
Stoke	: Fixed - Walnut
Choke	: Fixed - Mobile
Weight	: 3.25 kg



DOUBLE BARREL





GRANDIOSE

TECHNICAL SPECIFICATIONS

Code	: GRANDIOSE
Type	: Over and Under
Chamber	: 3''
Gauge/Caliber	: 12 GA
Receiver	: 4140 Steel
Barrel	: 20'',28'', Drilled from 4140 Steel
Engraving	: Laser or Hand
Ejector	: Yes
Stock	: Turkish Walnut
Choke	: Mobile or Fixed
Weight	: 7.2 lbs (3.25 kg)



CHEEK RISER
(OPTIONAL)



MYNA

TECHNICAL SPECIFICATIONS

Code	: MYNA (Hammer Firing)
Type	: Side by Side
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 4140 Steel
Barrel	: 20",28", Drilled from 4140 Steel
Engraving	: Laser or Hand
Ejector	: Extractor
Stock	: Turkish Walnut
Choke	: 3 Set Mobile
Weight	: 7.2 lbs (3.25 kg)




TEMPERED RECEIVER
(OPTIONAL)





MYNIA





COACH GUN
MYNA

TECHNICAL SPECIFICATIONS

Code	: MYNA (COACH GUN)
Type	: Side by Side
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 4140 Steel
Barrel	: 20",28", Drilled from 4140 Steel
Engraving	: Laser or Hand
Ejector	: Extractor
Stock	: Turkish Walnut
Choke	: 3 Set Mobile
Weight	: 7.2 lbs (3.25 kg)



TEMPERED RECEIVER
(OPTIONAL)





MYNA

TECHNICAL SPECIFICATIONS

Code	: MYNA
Type	: Side by Side
Chamber	: 3"
Gauge/Caliber	: 12 GA
Receiver	: 4140 Steel
Barrel	: 20",28", Drilled from 4140 Steel
Engraving	: Laser or Hand
Ejector	: Extractor
Stock	: Turkish Walnut
Choke	: 3 Set Mobile
Weight	: 7.2 lbs (3.25 kg)



TEMPERED RECEIVER
(OPTIONAL)





REVO 5R

TECHNICAL SPECIFICATIONS

Code	: REVO 5R
Type	: Revolver
Chamber	: 3"
Gauge/Caliber	: .410 - 36GA
Receiver	: 4140 Steel
Barrel	: 20", Drilled from 4140 Steel
Capacity	: 5 Round
Stock	: Turkish Walnut
Choke	: Mobile or Fixed
Weight	: 6 lbs (2.75 kg)
	:





RSB - 90W

RSB - 91

RSB - 90S

TECHNICAL SPECIFICATIONS

Code	: RSB 90 Series
Type	: Single Barrel
Chamber	: 3"
Gauge/Caliber	: 12GA, 16GA, 20GA, .410 Cal
Receiver	: 4140 Steel
Barrel	: 20",28" Drilled from 4140 Steel
Breke Release	: Hidden or Front of the Trigger Guard
Stock	: Turkish Walnut
Choke	: Mobile or Fixed
Weight	: 6 lbs (2.75 kg)

RAITON
F I R E A R M S